

# S-Tech SMCBoost - 152000

## **ICP Construction**

Version No: 1.1 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements Issue Date: **09/21/2017** Print Date: **09/21/2017** S.GHS.USA.EN

## **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

Product name	S-Tech SMCBoost - 152000
Synonyms	Not Available
Proper shipping name	Corrosive liquids, n.o.s.
Other means of identification	Not Available

## Recommended use of the chemical and restrictions on use

Relevant identified uses	Peroxide Cleaner Additive to increase cleaning.
--------------------------	-------------------------------------------------

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction
Address	150 Dascomb Road MA 01810 United States
Telephone	923-623-9980
Fax	Not Available
Website	https://www.icp-construction.com/
Email	Not Available

#### **Emergency phone number**

Association / Organisation	Chemtel
Emergency telephone numbers	1-800-255-3924
Other emergency telephone numbers	1-813-248-0585

# **SECTION 2 HAZARD(S) IDENTIFICATION**

# Classification of the substance or mixture



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification Serious Eye Damage Category 1, Skin Corrosion/Irritation Category 1A, Acute Toxicity (Inhalation) Category 4, Acute Toxicity (Oral) Category 4

#### Label elements

Hazard pictogram(s)





SIGNAL WORD

DANGER

# Hazard statement(s)

H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.
H302	Harmful if swallowed.

Chemwatch: 9-455641 Page 2 of 9 Issue Date: 09/21/2017 Version No: 1.1 Print Date: 09/21/2017

## S-Tech SMCBoost - 152000

# Hazard(s) not otherwise specified

Not Applicable

#### Precautionary statement(s) Prevention

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

# Precautionary statement(s) Response

P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

#### Precautionary statement(s) Storage

## Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

# SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

#### Substances

See section below for composition of Mixtures

## Mixtures

CAS No	%[weight]	Name
6834-92-0	5-10	sodium metasilicate, anhydrous
1310-58-3	0-5	potassium hydroxide
64-02-8	0-5	EDTA tetrasodium salt
68515-73-1	0-5	decyl polyglucose
7732-18-5	70-80	water

# **SECTION 4 FIRST-AID MEASURES**

Description of first aid measures		
Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.	
Skin Contact	If skin or hair contact occurs:  Immediately flush body and clothes with large amounts of water, using safety shower if available.  Quickly remove all contaminated clothing, including footwear.  Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.  Transport to hospital, or doctor.	
Inhalation	<ul> <li>If fumes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> <li>Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema.</li> <li>Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).</li> <li>As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested.</li> <li>Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered.</li> <li>This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)</li> </ul>	
Ingestion	<ul> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Transport to hospital or doctor without delay.</li> </ul>	

# Most important symptoms and effects, both acute and delayed

See Section 11

Chemwatch: 9-455641 Page 3 of 9

S-Tech SMCBoost - 152000

Issue Date: 09/21/2017 Print Date: 09/21/2017

Treat symptomatically.

Version No: 1.1

For acute or short-term repeated exposures to highly alkaline materials:

- ▶ Respiratory stress is uncommon but present occasionally because of soft tissue edema.
- Unless endotracheal intubation can be accomplished under direct vision, cricothyroidotomy or tracheotomy may be necessary.
- Oxygen is given as indicated.
- ▶ The presence of shock suggests perforation and mandates an intravenous line and fluid administration.
- Pamage due to alkaline corrosives occurs by liquefaction necrosis whereby the saponification of fats and solubilisation of proteins allow deep penetration into the tissue.

Alkalis continue to cause damage after exposure. INGESTION:

▶ Milk and water are the preferred diluents

No more than 2 glasses of water should be given to an adult.

- ▶ Neutralising agents should never be given since exothermic heat reaction may compound injury.
- \* Catharsis and emesis are absolutely contra-indicated.
- \* Activated charcoal does not absorb alkali.
- \* Gastric lavage should not be used.

Supportive care involves the following:

- Withhold oral feedings initially.
- ▶ If endoscopy confirms transmucosal injury start steroids only within the first 48 hours.
- Carefully evaluate the amount of tissue necrosis before assessing the need for surgical intervention.
- Patients should be instructed to seek medical attention whenever they develop difficulty in swallowing (dysphagia).

SKIN AND EYE:

▶ Injury should be irrigated for 20-30 minutes.

Eye injuries require saline. [Ellenhorn & Barceloux: Medical Toxicology]

## **SECTION 5 FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

- ▶ Jets of water.
- Water spray or fog.

# Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters		
Fire Fighting	<ul> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> <li>Wear breathing apparatus plus protective gloves in the event of a fire.</li> </ul>	
Fire/Explosion Hazard	<ul> <li>Non combustible.</li> <li>Not considered a significant fire risk, however containers may burn.</li> <li>silicon dioxide (SiO2)</li> </ul>	

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

# **Environmental precautions**

See section 12

#### Methods and material for containment and cleaning up

Minor Spills	<ul> <li>Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.</li> <li>Check regularly for spills and leaks.</li> <li>Clean up all spills immediately.</li> <li>Avoid breathing vapours and contact with skin and eyes.</li> </ul>
Major Spills	<ul> <li>Clear area of personnel and move upwind.</li> <li>Alert Fire Brigade and tell them location and nature of hazard.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

Precautions for safe hand	
Safe handling	<ul> <li>Avoid all personal contact, including inhalation.</li> <li>Wear protective clothing when risk of exposure occurs.</li> </ul>
Other information	<ul> <li>Store in original containers.</li> <li>Keep containers securely sealed.</li> <li>DO NOT store near acids, or oxidising agents</li> <li>No smoking, naked lights, heat or ignition sources.</li> </ul>

#### Conditions for safe storage, including any incompatibilities

	▶ Lined metal can, lined metal pail/ can.
	▶ Plastic pail.
Suitable container	For low viscosity materials
	▶ Drums and jerricans must be of the non-removable head type.
	▶ Where a can is to be used as an inner package, the can must have a screwed enclosure.
	- Thiological carries to be about the arrival of partiage, and carried and observed of books.

S-Tech SMCBoost - 152000

Issue Date: **09/21/2017** Print Date: **09/21/2017** 

Storage incompatibility

- ▶ Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.
- ► Avoid contact with copper, aluminium and their alloys.

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

# **Control parameters**

Version No: 1.1

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	potassium hydroxide	Caustic potash, Lye, Potassium hydrate	Not Available	Not Available	2 mg/m3	Not Available
US ACGIH Threshold Limit Values (TLV)	potassium hydroxide	Potassium hydroxide	Not Available	Not Available	2 mg/m3	TLV® Basis: URT, eye, & skin irr

## **EMERGENCY LIMITS**

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium metasilicate, anhydrous	Sodium metasilicate pentahydrate	6.6 mg/m3	73 mg/m3	440 mg/m3
sodium metasilicate, anhydrous	Sodium silicate; (Sodium metasilicate)	3.8 mg/m3	42 mg/m3	250 mg/m3
potassium hydroxide	Potassium hydroxide	0.18 mg/m3	2 mg/m3	54 mg/m3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodium salt, dihydrate	82 mg/m3	900 mg/m3	5,500 mg/m3
EDTA tetrasodium salt	Ethylenediaminetetraacetic acid, tetrasodiumn salt; (Tetrasodium EDTA)	75 mg/m3	830 mg/m3	5,000 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium metasilicate, anhydrous	Not Available	Not Available
potassium hydroxide	Not Available	Not Available
EDTA tetrasodium salt	Not Available	Not Available
decyl polyglucose	Not Available	Not Available
water	Not Available	Not Available

## **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.</li> <li>Chemical goggles whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>► Elbow length PVC gloves</li> <li>► When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.</li> </ul>
Body protection	See Other protection below
Other protection	► Overalls. ► PVC Apron.
Thermal hazards	Not Available

#### Respiratory protection

Particulate. (AS/NZS 1716 & 1715, EN 143:2000 & 149:001, ANSI Z88 or national equivalent)

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

## Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Filysical state	Liquid	Relative delisity (water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	13.0-14.0	Decomposition temperature	Not Available

Issue Date: 09/21/2017 Version No: 1.1 Print Date: 09/21/2017 S-Tech SMCBoost - 152000

Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	<ul> <li>Unstable in the presence of incompatible materials.</li> <li>Product is considered stable.</li> </ul>
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

nformation on toxicologic	cal effects						
Inhaled	The material can cause respiratory irritation in some person	Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful.  The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.  Inhaling corrosive bases may irritate the respiratory tract. Symptoms include cough, choking, pain and damage to the mucous membrane.					
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.  Ingestion of alkaline corrosives may produce burns around the mouth, ulcerations and swellings of the mucous membranes, profuse saliva production, with an inability to speak or swallow. Both the oesophagus and stomach may experience burning pain; vomiting and diarrhoea may follow.						
Skin Contact	identified following exposure of animals by at least one other abrasions.  Skin contact with alkaline corrosives may produce severe pai tissue destruction may be deep.  Open cuts, abraded or irritated skin should not be exposed to	(as classified und route and the ma in and burns; brow to this material sions or lesions, m	the skin. er EC Directives using animal models). Systemic harm, however, has been terial may still produce health damage following entry through wounds, lesions or rnish stains may develop. The corroded area may be soft, gelatinous and necrotic; hay produce systemic injury with harmful effects. Examine the skin prior to the use				
Eye	If applied to the eyes, this material causes severe eye damag Direct eye contact with corrosive bases can cause pain and the iris.		be swelling, epithelium destruction, clouding of the comea and inflammation of				
Chronic	jaw. Bronchial irritation, with cough, and frequent attacks of b Long-term exposure to respiratory irritants may result in airw	oronchial pneumor rays disease, invo					
S-Tech SMCBoost - 152000	TOXICITY		IRRITATION				
	Not Available		Not Available				
	TOXICITY		IRRITATION				
sodium metasilicate,	dermal (rat) LD50: >5000 mg/kg <sup>[1]</sup>		Skin (human): 250 mg/24h SEVERE				
anhydrous	Oral (rat) LD50: >1000 mg/kg <sup>[2]</sup>		Skin (rabbit): 250 mg/24h SEVERE				
	TOXICITY	IRRI	TATION				
	Oral (rat) LD50: 273 mg/kg <sup>[2]</sup>	Eye	(rabbit):1mg/24h rinse-moderate				
potassium hydroxide		Skin	(human): 50 mg/24h SEVERE				

Skin (rabbit): 50 mg/24h SEVERE

Page 6 of 9

S-Tech SMCBoost - 152000

Issue Date: 09/21/2017 Print Date: 09/21/2017

	1			
	TOXICITY	IRRIT	TATION	
EDTA totano a dissar a alt	Oral (rat) LD50: 630 mg/kg <sup>[2]</sup>	Eyes (rabbit): 1.9 mg		
EDTA tetrasodium salt		Eyes (rabbit):100 mg/24h-moderate		4h-moderate
		Skin (	rabbit):500 mg/24	4h-moderate
	TOXICITY			IRRITATION
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[2]</sup>			Not Available
decyl polyglucose	Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>			
	Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>			
	Oral (rat) LD50: >5000 mg/kg <sup>[2]</sup>			
	oral ((a), 22001 70000 mg/kg			
	TOXICITY		IRRITATION	
water	Not Available		Not Available	
	THE THE MAINTENANCE OF THE PARTY OF THE PART		Tiot / trailable	
Legend:	Nature obtained from Europe ECHA Registered Substance.     extracted from RTECS - Register of Toxic Effect of chemical		* Value obtained fi	from manufacturer's SDS. Unless otherwise specified dat
POTASSIUM HYDROXIDE	The material may produce moderate eye irritation leading to in	nflammation. Repe	ated or prolonged	d exposure to irritants may produce conjunctivitis.
DECYL POLYGLUCOSE	At very high concentrations, alkyl glycosides are considered in	rritant, with the risk	of serious damage	ge to the eyes. However, it does not irritate the skin.
SODIUM METASILICATE, ANHYDROUS & POTASSIUM HYDROXIDE	The material may cause severe skin irritation after prolonged vesicles, scaling and thickening of the skin. Repeated exposu			uce on contact skin redness, swelling, the production of
SODIUM METASILICATE, ANHYDROUS & POTASSIUM HYDROXIDE	Asthma-like symptoms may continue for months or even year airways dysfunction syndrome (RADS) which can occur after			
DECYL POLYGLUCOSE & WATER	No significant acute toxicological data identified in literature	search.		
Acute Toxicity	✓	C	arcinogenicity	
Acute Toxicity			arcinogenicity	
Skin Irritation/Corrosion	✓		eproductivity	0
<u> </u>	<b>✓</b>	R		
Skin Irritation/Corrosion Serious Eye	<u> </u>	R	eproductivity	0

Legend: X − Data available but does not fill the criteria for classification

✓ − Data available to make classification

O - Data Not Available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

## Toxicity

S-Tech SMCBoost - 152000	ENDPOINT	1	TEST DURATION (HR)	SPECI	SPECIES VAL		ΙE	SOUF	RCE
	Not Available	١	Not Available	Not Av	ailable	Not A	vailable	Not A	/ailable
sodium metasilicate,	ENDPOINT		TEST DURATION (HR)		SPECIES		VALUE	VALUE SOURCE	
anhydrous	LC50		96		Fish		180mg/L	1	
potassium hydroxide	ENDPOINT LC50 NOEC	LC50 96		SPECIES Fish Fish		VALUE 80mg/L 56mg/L		SOURCE 4	
	ENDPOINT	TEST	DURATION (HR)	SPECIES			VALUE		SOURCE
	LC50	96	DORATION (HK)	Fish			486mg/L		4
EDTA tetrasodium salt	EC50	72		Algae or other aqu	Algae or other aquatic plants		=1.01mg/L		1
	EC10	72		Algae or other aqu	Algae or other aquatic plants		=0.48mg/L		1
	NOEC	71		Algae or other aquatic plants			0.0003802mg/L		4

Version No: 1.1

Page 7 of 9 Issue Date: 09/21/2017 Print Date: 09/21/2017 S-Tech SMCBoost - 152000

decyl polyglucose

ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
EC50	48	Crustacea	7mg/L	2

water

ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Not Available	Not Available	Not Available	Not Available	Not Available

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Prevent, by any means available, spillage from entering drains or water courses.

**DO NOT** discharge into sewer or waterways.

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
decyl polyglucose	LOW	LOW
water	LOW	LOW

## **Bioaccumulative potential**

Ingredient	Bioaccumulation
decyl polyglucose	LOW (LogKOW = 1.916)
water	LOW (LogKOW = -1.38)

#### Mobility in soil

Ingredient	Mobility
decyl polyglucose	LOW (KOC = 10)
water	LOW (KOC = 14.3)

# **SECTION 13 DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Product / Packaging disposal

- ► Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.
- Recycle wherever possible.
- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.

# **SECTION 14 TRANSPORT INFORMATION**

# **Labels Required**



**Marine Pollutant** 

# Land transport (DOT)

UN number	1760
UN proper shipping name	Corrosive liquids, n.o.s.
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Packing group	
Environmental hazard	Not Applicable
Special precautions for user	Hazard Label 8 Special provisions IB3, T7, TP1, TP28

## Air transport (ICAO-IATA / DGR)

UN number 1	760
-------------	-----

Chemwatch: 9-455641 Page 8 of 9 Issue Date: 09/21/2017 Version No: 1.1 Print Date: 09/21/2017

S-Tech SMCBoost - 152000

UN proper shipping name	Corrosive liquid, n.o.s. *	
Transport hazard class(es)	ICAO/IATA Class 8 ICAO / IATA Subrisk Not Applicable ERG Code 8L	
Packing group	Ш	
Environmental hazard	Not Applicable	
	Special provisions  Cargo Only Packing Instructions	A3 A803 856
	Cargo Only Maximum Qty / Pack	60 L
Special precautions for user	Passenger and Cargo Packing Instructions	852
	Passenger and Cargo Maximum Qty / Pack	5 L
	Passenger and Cargo Limited Quantity Packing Instructions	Y841
	Passenger and Cargo Limited Maximum Qty / Pack	1 L

#### Sea transport (IMDG-Code / GGVSee)

UN number	1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S.
Transport hazard class(es)	IMDG Class     8       IMDG Subrisk     Not Applicable
Packing group	
Environmental hazard	Not Applicable
Special precautions for user	EMS Number F-A , S-B Special provisions 223 274 Limited Quantities 5 L

## Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

# Safety, health and environmental regulations / legislation specific for the substance or mixture

## SODIUM METASILICATE, ANHYDROUS(6834-92-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Idaho - Limits for Air Contaminants US - Washington Permissible exposure limits of air contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

## POTASSIUM HYDROXIDE(1310-58-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - Massachusetts - Right To Know Listed Chemicals	Contaminants
US - Michigan Exposure Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - Minnesota Permissible Exposure Limits (PELs)	US ACGIH Threshold Limit Values (TLV)
US - Pennsylvania - Hazardous Substance List	US CWA (Clean Water Act) - List of Hazardous Substances
US - Rhode Island Hazardous Substance List	US NIOSH Recommended Exposure Limits (RELs)
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### EDTA TETRASODIUM SALT(64-02-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

## DECYL POLYGLUCOSE(68515-73-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### **Federal Regulations**

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Chemwatch: 9-455641 Page 9 of 9 Issue Date: 09/21/2017 Version No: 1.1 Print Date: 09/21/2017

#### S-Tech SMCBoost - 152000

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

#### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Potassium hydroxide	1000	454

## State Regulations

#### US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Υ
Canada - NDSL	N (water; potassium hydroxide; sodium metasilicate, anhydrous; decyl polyglucose; EDTA tetrasodium salt)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (potassium hydroxide; decyl polyglucose; EDTA tetrasodium salt)
Korea - KECI	Y
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

## **SECTION 16 OTHER INFORMATION**

## CONTACT POINT

#### Other information

#### Ingredients with multiple cas numbers

Name	CAS No
EDTA tetrasodium salt	64-02-8, 10378-23-1, 13235-36-4, 194491-31-1
decyl polyglucose	58846-77-8, 68515-73-1, 110615-47-9

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other

## **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value BCF: BioConcentration Factors

BEI: Biological Exposure Index

Powered by AuthorlTe, from Chemwatch.

<sup>\*\*</sup>PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES\*\*